

# ZEE LINE

**NEW!** Products - 2018



See our complete catalog for more ZeeLine products.



NATIONAL - SPENCER INC.

# CORDLESS GREASE GUN



## 912-20

- Max Pressure: 10,000psi
- Dispenses (8) 14oz tubes per charge
- 42" whip hose with spring guard
- Digital Display w/battery level indicator and 180° viewing angle
- 1 watt LED work light
- High and Low volume settings
- Motor and mechanical overload protection
- Built-in floor stand

### Includes:

- Shoulder strap
- Hard plastic carry case
- (1) AC charger
- (2) 20 volt Lithium Ion batteries
  - mAh: 2,000
  - Battery Life: 1.5 hours



Carrying Case



Shoulder Strap

Compatible With:



## Foot Operated Grease Pump

### 541

- High pressure, portable grease pump
- Hands Free - Fatigue Free Operation
- Ideal for bulk greasing applications
- Includes Quick Lock coupler (102)
- Max Pressure: 8,700 PSI
- Up to .07oz per stroke
- Holds up to 22.05lbs of grease



Compatible With:



## Narrow Quick Lock Coupler

### 102

- Quick Lock Grease Coupler
- 43/64" (.67") Narrow design allows for easy greasing in confined spaces
- Up to 8,000 PSI
- Ideal for (912-20)




# 5 GPM AC OIL PUMP

## 7050

- AC 110 Volt electric oil pump.
- Flow Rate: 5 GPM
- Maximum Viscosity: 30wt
- Designed to fit 55 gallon drums up to 330 gallon totes.
- Spout and non-drip tip for filling measures and containers easily and without making a mess.
- Approximately 12" of clearance between the barrel and discharge spout.
- Includes 20 volt DC power supply with 6 amp output (**7051**)

Compatible With:



Measure Not Included

## Non-Drip Attachment for Hand Pumps



## 075NDT

- Non-Drip Tip designed to fit a broad range of hand pumps.
- 3/4" NPT (F) Fitting
- Made from PVC and Vinyl
- Can be used without the 3/4" hose barb fitting

Compatible With:



# COMPLETE OIL SYSTEM



Dimensions - Height: 108" x Width: 58" x Depth: 26"

## FCRS-100

- Complete Oil System
- Rack System can be attach to the wall, ceiling, or floor for proper support.

To purchase mounting rack separately, use part # (FCR-100R)

Compatible With:



### System Includes:

- (2) 1700R 3:1 Pumps
- (2) 1475R 32' Hose Reels
- (2) 1504 Digital Meters
- (1) 782 Two Drum Spill Containment Pallet
- (1) 783 Drum Loading Ramp
- All Connection Hoses and Hardware

Can be expanded to accommodate 4 drums using the same mounting rack.




783 - Drum Loading Ramp

## Universal Ceiling Mount

### URM100

- Universal ceiling mount for all hose reels.
- Ceiling mount clamps in place. No drilling required.
- Will mount to most 6"-8" wall or ceiling I-beams.
- Includes safety cable.

Reel not included.



Side View

# ENCLOSED AIR REEL




## 1459NS

- 3/8" x 50' Reel with Advanced Auto-Stop
- Advanced Auto-Stop - no ratcheting sound
- Working Pressure: 300psi
- Inlet/Outlet: 3/8"
- Hose I.D.: 3/8"
- Hose Length: 50'
- Hose Material: Hybrid Polymer

Compatible With:

AIR


WATER



## Lock Out

### LO100

- Lock Out for air supply units
- Works with 3/8" air coupler fittings
- Hole for lock is 7/16"
- Made from Aluminum



*Prevents quick coupler from making a connection while locked.*

# DRUM & TOTE EQUIPMENT

## Drum Level Indicator



Shown  
in  
Liters



### DG-55

- 3/4" drum level gauge.
- Conveniently check the remaining fluid level of a 55 gallon drum.
- Constructed from Polyethylene and ABS plastic.
- Can display in Liters or Gallons.

Compatible With:




Detailed View



Fits the smaller 3/4" hole on drums, leaving the 2" hole free for installing pumps

## SS 3/4" Bung Faucet



### 82SS

- 3/4" Bung Faucet
- 304 Stainless Steel
- Teflon Seals
- Self-Closing
- Lockable (with customer provided lock)

Compatible With:



## Dry Break System



### DB-100

- 2" Buttress Thread
- 3/4" Hose Barb Fitting (DB-100AR)
- 4 piece suction tube (DB-100T)
  - Dimensions: 1" x 52"

Compatible With:



Suction Tube




(DB-100T)

# PORTABLE FUEL DISPENSER

## 7002

- Hand Held Pump with Auto Stop
- Max delivery: 2.4 GPM
- Uses two AA batteries (not included)
- Low cost fuel dispenser with auto shut-off.
- No more over filling. Pump shuts off when liquid reaches the sensor in the nozzle.

Compatible With:



### Discharge Spout



Similar to (7000) but (7002) has auto stop.

## SS Bucket Pump

### 386

- Stainless Steel lift pump for 5 gallon buckets
- PTFE Seals
- Built-in lock nut to attach grounding wire
- Includes 2" bung adapter
- Delivers approximately 20oz per stroke

Compatible With:



## Digital Tire Gauge

### 1518

- Digital back-lit LCD display
- Rugged design for durability
- 24" flexible hose with dual chuck



NATIONAL-SPENCER INC.

# **ZEELINE**

**New Products - 2018**

## **SALES & SERVICE**

**TEL: 800-231-1525 | E-MAIL: SALES@ZEELINE.COM | FAX: 800-637-9511**

## **CORPORATE & SALES OFFICE**

**National - Spencer, Inc  
P.O. Box 57  
Wichita, KS 67201**

## **FACTORY & WAREHOUSE**

**National - Spencer, Inc  
1209 32nd Ave. West  
Spencer, IA 51301**

## **WAREHOUSE**

**National - Spencer, Inc  
2334 Stagecoach Road, Suite G  
Stockton, CA 95215**

**www.ZEELINE.com**